

DEC 30 1999

Case No.: 00-07-050A

LOMA



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	City of Pratt, Kansas	Lot 10, Block 1, Simpson's Subdivision of Block 25 of Simpson's Second Addition, as described in the General Warranty Deed recorded in Book 134, Page 191, in the Office of the Register of Deeds, Pratt County, Kansas
	COMMUNITY NO 200278	
MAP PANEL AFFECTED	NUMBER: 0020 D	
	NAME: City of Pratt, Kansas	
	DATE: September 30, 1983	
FLOODING SOURCE: Ponding		APPROXIMATE LATITUDE & LONGITUDE 37 65, -98.73 SOURCE OF LATITUDE & LONGITUDE OFF THE SHELF SOFTWARE

DETERMINATION

LOT	BLOCK/SECTION	SUBDIVISION	STREET ADDRESS	OUTCOME WHAT IS REMOVED FROM THE SFHA	NEW FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD)	LOWEST ADJACENT GRADE ELEVATION (NGVD)	LOWEST FLOOR ELEVATION (NGVD)	LOWEST LOT ELEVATION (NGVD)
10	1	Simpson's	302 North Thompson Street	Structure	C	1872.0 feet	1875.4 feet	N/A	N/A

Special Flood Hazard Area (SFHA) – The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (if the appropriate box is checked, please refer to the appropriate section on Attachment 1)

- | | |
|--|--|
| <input type="checkbox"/> 1 PROPERTY DESCRIPTION (CONTINUED) | <input type="checkbox"/> 6. STUDY UNDERWAY |
| <input type="checkbox"/> 2 DETERMINATION TABLE (CONTINUED) | <input type="checkbox"/> 7. FILL RECOMMENDATION |
| <input type="checkbox"/> 3 PORTIONS REMAIN IN THE FLOODWAY | <input checked="" type="checkbox"/> 8. PORTIONS REMAIN IN THE SFHA |
| <input type="checkbox"/> 4 INADVERTENT INCLUSION IN THE FLOODWAY | |
| <input checked="" type="checkbox"/> 5 ZONE A | |

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we determined the structure on the property is not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the structure from the SFHA; therefore, the federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (FEMA MAP) or by letter addressed to the FEMA LOMA DEPOT, 3601 Eisenhower Avenue, Suite 600, Alexandria, VA 22304-6439.

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

DEC 30 1999

Case No.: 00-07-050A

LOMA



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL) ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

5. ZONE A

The NFIP map affecting this property depicts the SFHA (Zone A) determined using the flood data available, but without performing a detailed engineering analysis or establishing base flood elevations. Determinations based on these flood data are approximate and subject to change.

8. PORTIONS OF THE PROPERTY REMAIN IN THE SFHA

The Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property may remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the Federal Emergency Management Agency Map Assistance Center toll free at 1-877-336-2627 (FEMA MAP) or by letter addressed to the FEMA LOMA DEPOT, 3601 Eisenhower Avenue, Suite 600, Alexandria, VA 22304-6439

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate